

Amendments to the Claims:

This Listing of Claims Replaces all prior Versions and Listings of the Claims in the Application.

Listing of the Claims:

Claim 1 (Currently amended): An air deodorizing device having an air flow path from an air inlet to an air outlet, said deodorizing device comprising:

a) a cartridge member ~~removably attached to~~ detachable from a portion of said deodorizing device, said cartridge member comprising a filter member having an air inlet and an air outlet, wherein said cartridge member is adapted to be ~~being~~ arranged ~~within~~ with respect to said portion of said deodorizing device such that said filter member comes into contact with the air flowing along said air flow path of said deodorizing device; and

b) an air moving member for moving air along said air flow path, said air moving member comprising a fan connected to an electric motor wherein said electric motor is powered by a source of electricity and wherein said air moving member is adapted to displace ~~displaces~~ at least 100 ml of air per second through the air inlet of said deodorizing device, and wherein said cartridge member is adapted to be positioned above said air moving member when said air moving member moves air along said air flow path.

Claim 2 (Original): A refrigerator air deodorizing device according to claim 1.

Claim 3 (Currently amended): The ~~An~~ air deodorizing device according to claim 1 wherein said cartridge member is directly accessible from the outside of said deodorizing device.

Claim 4 (Canceled)

Claim 5 (Canceled)

Claim 6 (Currently amended): The ~~An~~ air deodorizing device according to claim 1 wherein said filter member comprises activated carbon.

Claim 7 (Currently amended): The ~~An~~ air deodorizing device according to claim 6 wherein said activated carbon is supported on a support member, said support member comprising a foam, a woven, or a nonwoven web material.

Claim 8 (Currently amended): The ~~An~~ air deodorizing device according to claim 7 wherein said activated carbon is supported on a polyurethane foam ~~having~~ and has a carbon density of ~~between from~~ 0.01 ~~and to~~ 0.3 grams per cm³.

Claim 9 (Currently amended): The ~~An~~ air deodorizing device according to claim 6 wherein said filter member comprises between 5 and 30 grams of activated carbon.

Claim 10 (Canceled)

Claim 11 (New): The air deodorizing device of claim 1 wherein said cartridge member is adapted only to be held in place with respect to said air moving member by gravitational forces.

Claim 12 (New): The air deodorizing device of claim 1 wherein a surface topology of parts of said cartridge member and said air moving member match each other.

Claim 13 (New): The air deodorizing device of claim 12 wherein said surface topology comprises a hemispherical design.

Claim 14 (New): An air deodorizing device having an air flow path from an air inlet to an air outlet, said deodorizing device comprising:

a) a cartridge member detachable from a portion of said deodorizing device, said cartridge member comprising a filter member having an air inlet and an air outlet, said cartridge member being arranged within an area of said deodorizing device such that said filter member comes into contact with the air flowing along said air flow path of said deodorizing device; and

b) an air moving member for moving air along said air flow path, said air moving member comprising a fan connected to an electric motor wherein said electric motor is powered by a source of electricity and wherein said air moving member is adapted to displace at least 100 ml of air per second through the air inlet of said deodorizing device.

Claim 15 (New): The air deodorizing device according to claim 14 wherein said source of electricity is a battery, wherein said battery is located within said cartridge member and wherein said battery and said filter member have substantially equal lifetimes.

Claim 16 (New): The air deodorizing device according to claim 14 wherein said filter member is located between the air inlet of said deodorizing device and said air moving member such that substantially all the air aspired by said air moving member is forced to flow through said filter member along said air flow path.

Claim 17 (New): The air deodorizing device of claim 14, wherein only a single air path connection exists between the said filter member and said air moving member

wherein substantially all air aspired by said air moving member is forced to flow through said filter member before it penetrates an inlet of said air moving member.

Claim 18 (New): The air deodorizing device of claim 14, wherein said air inlet of said cartridge member is unitary with said air inlet of said air deodorizing device wherein substantially all air aspired by said air moving member is forced to flow through said filter member before it penetrates an inlet of said air moving member.

Claim 19 (New): An air deodorizing device having an air flow path from an air inlet to an air outlet, said deodorizing device comprising:

a) a cartridge member detachable from a portion of said deodorizing device, said cartridge member comprising a filter member having an air inlet and an air outlet, wherein said cartridge member is adapted to be arranged with respect to said portion of said deodorizing device such that said filter member comes into contact with the air flowing along said air flow path of said deodorizing device; and

b) an air moving member for moving air along said air flow path, said air moving member comprising a fan connected to an electric motor wherein said electric motor is powered by a source of electricity and wherein said air moving member is adapted to displace at least 100 ml of air per second through the air inlet of said deodorizing device,

wherein interfacing parts of said cartridge member and said air moving member include a hemispherical surface topology that match each other and wherein the cartridge member is adapted to rest above the air moving member such that the cartridge member is only held in place by gravitational forces.

Claim 20 (New): An air deodorizing device having an air flow path from an air inlet to an air outlet, said deodorizing device comprising:

a) a cartridge member detachable from a portion of said deodorizing device, said cartridge member comprising a filter member having an air inlet and an air outlet, said cartridge member being arranged within an area of said deodorizing device such that said filter member comes into contact with the air flowing along said air flow path of said deodorizing device; and

b) an air moving member for moving air along said air flow path, said air moving member comprising a fan connected to an electric motor wherein said electric motor is powered by a source of electricity and wherein said air moving member is adapted to displace at least 100 ml of air per second through the air inlet of said deodorizing device, wherein said air inlet of said cartridge member is unitary with said air inlet of said air deodorizing device such that only a single air path connection exists between said filter member and said air moving member and wherein substantially all air aspired by said air moving member is forced to flow through said filter member before it penetrates an inlet of said air moving member.